Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	remote near key near3 distribut\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L2	0	L1 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L3	1470	key adj encrypt\$4 adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L4	27	L3 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L5	27	key adj encrypt\$4 adj key same root near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L6	1	L5 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L7	10	key same secure near module same (ROM OR (read adj only adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L8	0	L7 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L9	1542	(713/192-194).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/19 09:18
L10	69	L9 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18

L11	67	L9 and battery with RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L12	2	L11 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L13	939	(380/277).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/19 09:18
L14	33	L13 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L15	144	L13 and root	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L16	8	L15 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L17	15	(COUILLARD near BRUNO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
L18	1	L17 and @ad<"20010802" and @pd>"20050713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/19 09:18
S54	2	super adj root adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:37
S55	5	key adj encrypting adj key with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:41
S56	0	key adj transporting adj key with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:41

				<u> </u>		
S57	2	key adj transport\$6 adj key with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:49
S58	23	key adj encrypt\$4 adj key with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:00
S59	41	key adj (encrypt\$4 tranpor\$6 exchang\$4) adj key with (length longer greater size bigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:01
S60	42	key adj (encrypt\$4 transpor\$6 exchang\$4) adj key with (length longer greater size bigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:15
S61	31	KEK with (length longer greater size bigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:06
S62	0	key adj enciper\$4 adj key with (length longer greater size bigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:16
S63	1	key adj encipher\$4 adj key with (length longer greater size bigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:16
S64	25	key adj (length size) same ((key adj (encrypt\$4 transpor\$6 exchang\$4) adj key) KEK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:41
S65	66	key with (length size) same ((key adj (encrypt\$4 transpor\$6 exchang\$4) adj key) KEK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:55
S66	128	key with encrypting near key with (legnth size larger bigger more)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:56

S67	156	key with encrypting near key with (length size larger bigger more)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:56
S68	65	key with encrypting adj key with (length size larger bigger more)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:00
S69	110	key adj encrypting with key with (length size larger bigger more)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:01
S70	294	key adj exchang\$4 with key with (length size larger bigger more)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:01
S71	87	key adj exchang\$4 with key near3 (length size larger bigger more)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:02
S72	31	key adj exchang\$4 with key near3 (length size larger bigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:10
S73	2	longer with key same key adj encrypting adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:11
S74	24	longer with key same key adj exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:11
S75	14	root adj key with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:17
S76	5	root adj key with size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:17

S77	5	root adj key with (longer larger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:18
S78	8	root adj key with (bigger greater)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:20
S79	0	key adj encrypt\$4 adj key near "128" with key near "64"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:22
S80	0	key adj encrypt\$4 adj key near "128" same key near "64"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:22
S81	3	key adj encrypt\$4 adj key with "128" same key near "64"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:23
S82	2	key adj encrypt\$4 adj key with double	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:24
S83	0	key adj encrypt\$4 adj key with twice	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:31